

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

Indications on the product:

Compression Packing type Carrara PT5504L.

Braided compression packing made by PTFE. The product is intended for use as sealing for industrial pumps and mixers.

Manufacturer	CARRARA Spa	
	Via Provinciale 1E	
	25030 Adro- BS - Italy	
	Telephone No. (+39) 030 7451121	
	Telefax No. (+39) 030 7451130	
	www.carrara.it - info@carrara.it Emergency No. (+39) 030 7451130 (office time)	
	Warning: in any emergency case contact the	
	nearest first aid center	

#### 2. HAZARDS IDENTIFICATION

- This product does not meet the criteria for classification in any hazard class according to regulation EC No 1272/2008 on classification, labelling and packaging of substances.
- The solid PTFE polymer has never shown risks for the human health and for the environment at ambient temperature.
- If the article is at temperatures higher than 260°C decomposition products (CO<sub>2</sub>, CO, HF and COF<sub>2</sub>) may be emitted. The melting point is 327°C. Very intensive thermal decomposition starts at 415 °C. Avoid smoking when handling PTFE products.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients	% Wt.	CAS No.	EC / List no.:
None	-	-	-
Non-Hazardous Ingredients	% Wt.	CAS No.	EC / List no.:
PTFE	100	9002-84-0	618-337-2

Rev. 04 26-08-2019 page 1 of 5



#### 4. FIRST AID MEASURES

- further to inhalation of decomposition products, bring the injured person in the open air and keep him calm and request intervention of a doctor
- **Indications for the doctor**: symptoms, for inhalation of decomposition products the following symptoms can occur: high skin temperature, breathing insufficiency, cough, shivers

<u>Interventions in case of contact with the compounds of the thermal decomposition:</u>

## Contact with the eyes

- rinse immediately with running water for at least 15 minutes until intervention of the doctor
- request prompt intervention of a doctor

## Contact with the skin

- wash immediately with water and soap carefully rinsing between the folds of the skin and under the nails
- request prompt intervention of a doctor

### Inhalation

- bring the subject in the open air and if possible give oxygen
- if breathlessness occurs effect artificial respiration, preferably mouth to mouth
- request prompt intervention of a doctor and keep under observation for at least 48 hours

## 5. FIREFIGHTING MEASURES

Suitable means for extinction: - Water

- Foam
- Extinguishing powder
- Carbon dioxide

The risks in case of fire are connected to the combustion products which are:

- Carbon monoxide (CO) and dioxide (CO<sub>2</sub>)
- Hydrofluoric acid (HF)
- Carbonyl fluoride
- Tetrafluoroethylene
- Hexafluoropropylene
- Perfluoroisobutylene
- Other gases from decomposition

Particular protection equipment for the antifire operations:

• <u>it is peremptory</u>, for the extinguishing, rescue and clearing operations in presence of combustion and distillation gases, to use a breathing apparatus for secure protection of the respiratory tract Other indications:

the fluoropolymers can increase the relative toxicity of the combustion gases

Rev. 04 26-08-2019 page 2 of 5



## 6. ACCIDENTAL RELEASE MEASURES

- Utilize exposue controls and personal protection equipment as specified in section 8
- · About environmental protection no special precautions are required
- Refer to section 13 for disposal advice

### 7. HANDLING AND STORAGE

## Handling

• Do not smoke handling the product and adopt usual warehousing individual protection measures (gloves).

#### Storage

 Keep away from ignition sources in dry area. Exposure to humidity, light or heat may reduce shelf life.

## 8. EXPOSURE CONTROL / INDIVIDUAL PROTECTION

## Individual protection

Adopt usual individual protection measures (gloves) for handling. In any case do not smoke when
in contact with PTFE material. In case of fire event hazardous vapours may be generated: take
care do not breathe them and in case of involvement in the fire extinguishment operations adopt
the right respiratory protection.

Control parameters – Occupational exposure limit values

- PTFE
  - o OSHA
    - PEL for total dust 15 mg/m3
    - PEL for respirable fraction 5 mg/m3
    - TLV-TWA for Inhalable particulate 10 mg/m3
    - TLV-TWA for respirable particulate 3 mg/m3

Rev. 04 26-08-2019 page 3 of 5



### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical state solid
- Colour White
- Relative density 1.60 g/cm<sup>3</sup>
- Solubility in water insoluble
- Melting Point 327°C
- Flash point not applicable
- Upper/lower flammability or explosive limits not applicable
- Autoignition temperature not determined
- Decomposition temperature not determined
- Flammability (solid, gas) not applicable
- Explosive properties not applicable

### 10. STABILITY AND REACTIVITY

- Reactivity
  - No dangerous reaction known under conditions of normal use. Avoid the extreme heat above 260°C.
- Incompatible materials
  - o Fluorine, Chlorine Trifluoride and related compounds, molten alkali metal
- Hazardous decomposition products
  - Carbon monoxide, Carbon dioxide, Perfluorcarbon olefins and other toxic fumes may be generated above 260°C.

### 11. TOXICOLOGICAL INFORMATION

 The product contains no substances classified as hazardous to health in concentrations which should be taken into account. In usual condition of handling, storage and use of the product for intended purposes harmful effects for human are not knowed. Only the thermal decomposition may generate toxic gases hazardous if breathed.

#### 12. ECOLOGICAL INFORMATION

The ecotoxicology has not been determined specifically for the product but is based on the
available information of the single components. The product contains no substances classified as
hazardous to the environment in concentrations which should be taken into account and no
adverse effects on aquatic and soil organisms are expected in case of accidental release. The
product is not water-soluble.

Rev. 04 26-08-2019 page 4 of 5



### 13. DISPOSAL CONSIDERATIONS

The unused product is not classified as a hazardous waste according to 2008/98/EC. Anyway it is
in charge to the user check the local regulations and comply with them.

14. TRANSPORT INFORMATION			
UN number	ADR/RID/AND/IMDG/ICAO/IATA DRG 60 <sup>th</sup> 2019	Not Applicable	
	TDG	Not Applicable	
	US DOT	Not Applicable	
UN proper shipping	ADR/RID/AND/IMDG/ICAO/IATA DRG 60th 2019	Non-Hazardous, Non Regulated	
name	TDG	Non-Hazardous, Non Regulated	
	US DOT	Non-Hazardous, Non Regulated	
Transport hazard	ADR/RID/AND/IMDG/ICAO/IATA DRG 60th 2019	Not Applicable	
class(es)	TDG	Not Applicable	
	US DOT	Not Applicable	
Packing Group	ADR/RID/AND/IMDG/ICAO/IATA DRG 60th 2019	Not Applicable	
	TDG	Not Applicable	
	US DOT	Not Applicable	
Environmental Hazard		Not Applicable	
Special precaution for		Not Applicable	
user			

### 15. REGULATORY INFORMATION

## • EU REGULATIONS

- The product does not include harmful substances classificated by the directive REACH, RoHS and is not under restrictions of the system EU RAPEX
  - Authorisations under Title VII: Not Applicable
  - Restrictions under Title VIII: None

#### OTHER REGULATION

None

#### 16. OTHER INFORMATION

The current information provided is based on the best knowledge on the date reported. In addition, we inform the user that risks may occur in the case of use of the product for purposes other than those intended. This condition, use of the product for purposes other than those intended, has to be avoid.

Rev. 04 26-08-2019 page 5 of 5